
Retractable Monitor





Retractable Monitor





"What is MODIS?"

Once installed in furniture, The MODIS virtually disappears, by virtue of its design characteristics.

The unique mechanism folds flat into the table and the rear of the panel may be veneered with the matching surface material also.

Glass, Corian, Leather – the choice is yours.

Control is a single press open / close or may be integrated with a Media Control System & be managed remotely via TCP/IP on the integrated Ethernet port.

A design first & fully customisable. Often Copied - Never Equalled.


MADE IN GERMANY.

More than 15 years know-how in monitor-design. Warranty 5 years mechanics, 2 years electric and electronic, 10 years spare part availability.

Sleek, Silent, Svelte, Handcrafted & tested to ensure the highest standards.

Reliable partner with solid repeat business across diverse client fields. Global references and project experiences.





Retractable Monitor



GENERAL SPECIFICATIONS

Functionality Motorised Screen / Elevated Tray

Single Touch electronic Anti Clamp Protection; Interchangeable Keyboard Tray; 2x integrated USB-sockets

Motor & Mechanics 12v Step Motor with simultaneous drive

for multiple movements. Maintenance Free

Maintenance Free Virtually Silent – 40 dB

Material Frame - Aluminium silver anodized

Trim - Black Plexiglass decorative inlay Chassis & Cartouche - Brushed high-grade steel and black anodized aluminum

Display 3mm Antireflective coated protective

glass

Dimensions 495 x 400 x 86 mm

Weight 12.6 kg

Elevated Height 300 mm at 106°

Monitor Full HD 17.3" LED Backlit TFT

HDCP Compatible Active Matrix Widescreen Format

Brightness 400 cd/m2

Contrast Ratio 600:1

Resolution 1920 x 1080 – Full HD (16:9)

Pixel size 0.1989 x 0.1989 mm

Viewing Angle Horizontal 160°/ Vertical - 140°

Viewing Area 381,888(H) x 214,812(V)

LED Lifespan Up to 50,000 hrs

Video Interface HDMI

VGA Optional

Firmware Update – external via signal

cable

Remote Control TCP/IP on-board via RJ45

9-PIN d-sub serial

For device control, setup of the movement parameter, firmware-Update (E1-cable and software required)

Power Consumption 15W

Certifications TüV, CE, FCC

Warranty 5 Years Mechanical / 2 Years Optical

Extendable at inception with surcharge

E&OE

Sustainable materials and manufacturing

SCOPE OF SUPPLY

External Power Supply Power Cord – 1.5 m Output: 12V, 5A

Input: 100 - 240V, 50/60Hz, 1,5A

AVAILABLE OPTIONS

Integration from Below – R Version Custom Colour – Anodization or Coating

Custom Plexiglass Trim Colour Custom Logo


HDMI instead of USB socket

Multi Touch Overlay

Additional sockets – XLR / Phono / Video

Leather Trim
Double Full HD cam
Conference Microphone





Retractable Monitor



Applications

Educational

Commercial

Medical

HoW

Financial

Institutional

Retail







Retractable Monitor



table cutting





Retractable Monitor





ELEMENT ONE Multimedia GmbH
Zum Murgdamm 5
D-76456 Kuppenheim
Germany
fon +49 (0) 7222 966 54-0
fax +49 (0) 7222 966 54-29
www.elementonescreens.com
info@elementonescreens.com